

28605.4
KDS-Set 10/24 BK



Cable entry set, IP66, Consisting of: 1 x KDS-SR 10/24, 1 each of KDS-Inlay 2,4,6

RAL: 9005

Business data

Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	87.9 g
Weight per piece (including packaging)	111.9 g
Unit of weight	G
Customs number	39259020
Country of origin	DE
Product description	Cable Entry

Technical data

Dimensions

Length	153 mm
Length of wall cutout	113.5 mm
Width	70 mm
Width of wall cutout	46 mm
Height	19.6 mm
Installation height	19.6 mm
Diameter of the screw holes	5.5 mm

Materials

Material	Polyamide 6.6
Glass-fibre reinforced	✓
Flammability class UL 94	V-0
Working temperature, min.	-40 °C
Working temperature, max.	120 °C
Sealing material	Polyurethane-based
Type of seal	Sealing and moulded flexible foam
Halogen-free	✓
Silicone-free	✓

Further technical data

Mounting type	Screws
Degree of protection	IP66
NEMA Type	4x
Number of screw holes	4
Fixing screws	M 5 (ISO 4762 / DIN 912)
Torque of the fixing screws	3 Nm

Print

Colour	Black
--------	-------

Technical data

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2021-07-08
REACH Candidate Substance Note	No
RoHS Conform	yes

Approvals



cUL Recognized

cUL approval	C22.2 No. 14-18
cUL Recognized	yes

UL Recognized

UL approval	UL 508A
UL Recognized	yes

Media



28605.4

KDS-Set 10/24 BK

Accessories

28605.4
KDS-Set 10/24 BK

Small Seals



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 7 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28567.6	KDS-DE 6-7 GR	4044211211059	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 8 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28568.6	KDS-DE 7-8 GR	4044211211066	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 9 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28569.6	KDS-DE 8-9 GR	4044211211073	500 ST

28605.4
KDS-Set 10/24 BK

Small Seals



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 10 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28570.6	KDS-DE 9-10 GR	4044211211080	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 11 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28571.6	KDS-DE 10-11 GR	4044211211097	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 12 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28572.6	KDS-DE 11-12 GR	4044211211103	500 ST

28605.4
KDS-Set 10/24 BK

Small Seals



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 13 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28573.6	KDS-DE 12-13 GR	4044211215224	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 3 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28563.6	KDS-DE 2-3 GR	4044211211011	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 4 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28564.6	KDS-DE 3-4 GR	4044211211028	500 ST

28605.4
KDS-Set 10/24 BK

Small Seals



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 5 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28565.6	KDS-DE 4-5 GR	4044211211035	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 6 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28566.6	KDS-DE 5-6 GR	4044211211042	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 14 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28574.6	KDS-DE 13-14 GR	4044211215231	500 ST

28605.4
KDS-Set 10/24 BK

Small Seals



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 5 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28595.6	KDS-DE 2X4-5 GR	4044211215682	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 6 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28596.6	KDS-DE 2X5-6 GR	4044211215699	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 3 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28597.6	KDS-DE 4X2-3 GR	4044211215705	500 ST

28605.4
KDS-Set 10/24 BK

Small Seals



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 4 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28598.6	KDS-DE 4X3-4 GR	4044211215712	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, IP 66, Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28560.4	KDS-DE/2XASI BK	4044211215675	500 ST



Seal dummy, Mounting type: Plug in, Length
x width: 20.3 mm, IP 66, Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28561.6	KDS-DE/B GR	4044211211004	500 ST

28605.4
KDS-Set 10/24 BK

Small Seals



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 2 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28562.6	KDS-DE 1,5-2 GR	4044211209988	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 6.5 mm, IP
66, Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28682.4	KDS-DE 2X6,5 BK	4044211219536	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 6.5 mm, IP
66, Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28687.4	KDS-DE 3X5-6 BK	4044211220501	500 ST

28605.4
KDS-Set 10/24 BK

Small Seals



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 2 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28696.6	KDS-DE 2 GR	4044211220884	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 3 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28697.4	KDS-DE 3 BK	4044211220891	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 3 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28698.6	KDS-DE 3 GR	4044211220907	500 ST

28605.4
KDS-Set 10/24 BK

Small Seals



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 6.1 mm, IP
66, Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28762.6	KDS-DE 4X6 GR	4044211226459	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 6.1 mm, IP
66, Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28763.4	KDS-DE 4X6 BK	4044211226466	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, IP 66, Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28600.6	KDS-DE/2XASI GR	4044211215736	500 ST

28605.4
KDS-Set 10/24 BK

Small Seals



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 4.5 mm, IP
66, Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28606.6	KDS-DE 4X4,5 GR	4044211216252	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 6.5 mm, IP
66, Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28607.6	KDS-DE 2X6,5 GR	4044211216238	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 15 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28608.4	KDS-DE 14-15 BK	4044211219314	500 ST

28605.4
KDS-Set 10/24 BK

Small Seals



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 15 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28609.6	KDS-DE 14-15 GR	4044211219307	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 16 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28670.4	KDS-DE 15-16 BK	4044211219321	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 17 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28671.6	KDS-DE 15-16 GR	4044211219338	500 ST

28605.4
KDS-Set 10/24 BK

Small Seals



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 5 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28672.4	KDS-DE 4X5 BK	4044211219345	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 5 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28673.6	KDS-DE 4X5 GR	4044211219352	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 4.5 mm, IP 66, Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28681.4	KDS-DE 4X4,5 BK	4044211219543	500 ST

28605.4
KDS-Set 10/24 BK

Small Seals



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 11 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28530.4	KDS-DE 10-11 BK	4044211210960	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 12 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28531.4	KDS-DE 11-12 BK	4044211210977	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 13 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28532.4	KDS-DE 12-13 BK	4044211210984	500 ST

28605.4
KDS-Set 10/24 BK

Small Seals



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 14 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28533.4	KDS-DE 13-14 BK	4044211210991	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 11 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28553.4	KDS-DE/K 2-11 BK	4044211216092	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 5 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28555.4	KDS-DE 2X4-5 BK	4044211215620	500 ST

28605.4
KDS-Set 10/24 BK

Small Seals



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 6 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28556.4	KDS-DE 2X5-6 BK	4044211215637	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 3 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28557.4	KDS-DE 4X2-3 BK	4044211215644	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 4 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28558.4	KDS-DE 4X3-4 BK	4044211215651	500 ST

28605.4
KDS-Set 10/24 BK

Small Seals



Seal, Mounting type: Plug in, Length x width:
20.3 mm, IP 66, Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28559.4	KDS-DE/1XASI BK	4044211215668	500 ST



Seal dummy, Mounting type: Plug in, Length
x width: 20.3 mm, IP 66, Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28520.4	KDS-DE/B BK	4044211210878	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 2 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28521.4	KDS-DE 1,5-2 BK	4044211210007	500 ST

28605.4
KDS-Set 10/24 BK

Small Seals



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 3 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28522.4	KDS-DE 2-3 BK	4044211210885	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 4 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28523.4	KDS-DE 3-4 BK	4044211210892	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 5 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28524.4	KDS-DE 4-5 BK	4044211210908	500 ST

28605.4
KDS-Set 10/24 BK

Small Seals



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 6 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28525.4	KDS-DE 5-6 BK	4044211210915	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 7 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28526.4	KDS-DE 6-7 BK	4044211210922	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 8 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28527.4	KDS-DE 7-8 BK	4044211210939	500 ST

28605.4
KDS-Set 10/24 BK

Small Seals



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 9 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28528.4	KDS-DE 8-9 BK	4044211210946	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 10 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28529.4	KDS-DE 9-10 BK	4044211210953	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 6 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28688.6	KDS-DE 3X5-6 GR	4044211220518	500 ST

28605.4
KDS-Set 10/24 BK

Small Seals



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 7 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28689.4	KDS-DE 2X7 BK	4044211220815	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 7 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28690.6	KDS-DE 2X7 GR	4044211220822	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 8 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28691.4	KDS-DE 2X8 BK	4044211220839	500 ST

28605.4
KDS-Set 10/24 BK

Small Seals



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 8 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28692.6	KDS-DE 2X8 GR	4044211220846	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 1.5 mm, IP 66, Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28693.4	KDS-DE 1,5 BK	4044211220853	500 ST



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 1.5 mm, IP 66, Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28694.6	KDS-DE 1,5 GR	4044211220860	500 ST

28605.4
KDS-Set 10/24 BK

Small Seals



Seal, Mounting type: Plug in, Length x width:
20.3 mm, Max. cable diameter: 2 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet
28695.4	KDS-DE 2 BK	4044211220877	500 ST

28605.4
KDS-Set 10/24 BK


Big Seals



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 20 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28540.4	KDS-DEG 19-20 BK	4044211215354	500 ST



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 33 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28601.4	KDS-DEG 32-33 BK	4044211215613	500 ST



Seal dummy, Mounting type: Plug in, Length
x width: 42.8 mm, IP 66, Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28534.4	KDS-DEG/B BK	4044211215255	500 ST

28605.4
KDS-Set 10/24 BK

Big Seals



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 15 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28535.4	KDS-DEG 14-15 BK	4044211209995	500 ST



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 16 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28536.4	KDS-DEG 15-16 BK	4044211215279	500 ST



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 18 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28538.4	KDS-DEG 17-18 BK	4044211215316	500 ST

28605.4
KDS-Set 10/24 BK

Big Seals



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 24 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28544.4	KDS-DEG 23-24 BK	4044211215439	500 ST



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 20 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28581.6	KDS-DEG 19-20 GR	4044211215347	500 ST



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 21 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28582.6	KDS-DEG 20-21 GR	4044211215361	500 ST

28605.4
KDS-Set 10/24 BK

Big Seals



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 22 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData


Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28583.6	KDS-DEG 21-22 GR	4044211215385	500 ST



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 23 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28584.6	KDS-DEG 22-23 GR	4044211215408	500 ST



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 25 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28545.4	KDS-DEG 24-25 BK	4044211215453	500 ST

28605.4
KDS-Set 10/24 BK


Big Seals



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 26 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData


Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28546.4	KDS-DEG 25-26 BK	4044211215460	500 ST



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 27 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28547.4	KDS-DEG 26-27 BK	4044211215491	500 ST




Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 28 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28548.4	KDS-DEG 27-28 BK	4044211215514	500 ST

28605.4
KDS-Set 10/24 BK


Big Seals



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 29 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData


Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28549.4	KDS-DEG 28-29 BK	4044211215538	500 ST



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 30 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28550.4	KDS-DEG 29-30 BK	4044211215552	500 ST




Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 31 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28551.4	KDS-DEG 30-31 BK	4044211215576	500 ST

28605.4
KDS-Set 10/24 BK

Big Seals



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 32 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28552.4	KDS-DEG 31-32 BK	4044211215590	500 ST



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 18 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28579.6	KDS-DEG 17-18 GR	4044211215309	500 ST



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 19 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28580.6	KDS-DEG 18-19 GR	4044211215323	500 ST

28605.4
KDS-Set 10/24 BK

Big Seals



Seal dummy, Mounting type: Plug in, Length x width: 42.8 mm, IP 66, Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28575.6	KDS-DEG/B GR	4044211215248	500 ST



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 15 mm, IP 66, Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28576.6	KDS-DEG 14-15 GR	4044211209971	500 ST



Seal, Mounting type: Plug in, Length x width: 42.8 mm, Max. cable diameter: 16 mm, IP 66, Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28577.6	KDS-DEG 15-16 GR	4044211215262	500 ST

28605.4
KDS-Set 10/24 BK

Big Seals



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 17 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28578.6	KDS-DEG 16-17 GR	4044211215286	500 ST



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 32 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28593.6	KDS-DEG 31-32 GR	4044211215583	500 ST



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 33 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28594.6	KDS-DEG 32-33 GR	4044211215606	500 ST

28605.4
KDS-Set 10/24 BK

Big Seals

Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 33 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28730.4	KDS-DEG 33-34 BK	4044211220969	500 ST

Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 33 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28731.6	KDS-DEG 33-34 GR	4044211220976	500 ST




Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 33 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28732.4	KDS-DEG 34-35 BK	4044211220983	500 ST

28605.4
KDS-Set 10/24 BK

Big Seals



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 33 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28733.6	KDS-DEG 34-35 GR	4044211220990	500 ST



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 23 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28543.4	KDS-DEG 22-23 BK	4044211215415	500 ST



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 24 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28554.4	KDS-DEG/K 7-24 BK	4044211216108	500 ST

28605.4
KDS-Set 10/24 BK

Big Seals



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 24 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28585.6	KDS-DEG 23-24 GR	4044211215422	500 ST



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 25 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28586.6	KDS-DEG 24-25 GR	4044211215446	500 ST



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 26 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28587.6	KDS-DEG 25-26 GR	4044211215477	500 ST

28605.4
KDS-Set 10/24 BK

Big Seals



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 27 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28588.6	KDS-DEG 26-27 GR	4044211215484	500 ST



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 28 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28589.6	KDS-DEG 27-28 GR	4044211215507	500 ST



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 29 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28590.6	KDS-DEG 28-29 GR	4044211215521	500 ST

28605.4
KDS-Set 10/24 BK

Big Seals



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 30 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28591.6	KDS-DEG 29-30 GR	4044211215545	500 ST



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 31 mm, IP 66,
Colour: Grey

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28592.6	KDS-DEG 30-31 GR	4044211215569	500 ST




Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 19 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28539.4	KDS-DEG 18-19 BK	4044211215330	500 ST

28605.4
KDS-Set 10/24 BK

Big Seals



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 21 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet
28541.4	KDS-DEG 20-21 BK	4044211215378	500 ST



Seal, Mounting type: Plug in, Length x width:
42.8 mm, Max. cable diameter: 22 mm, IP 66,
Colour: Black

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet
28542.4	KDS-DEG 21-22 BK	4044211215392	500 ST

28605.4
KDS-Set 10/24 BK

Actuating tool



Actuating tool, Material: Polyamide

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28622.0	KDS BW 1	4044211216597	500 ST

EMC brackets



Shield-connection rail enabling mounting of shield connection clips directly on cable entry system KDS and KES, Mounting type: Screw, Length: 35,3 mm, Width: 140 mm, Height: 16 mm, Profile: 10x3 mm

detail.dataSheet.generalOrderData

Product number:	detail.dataSheet.productName	GTIN (EAN)	detail.dataSheet.
28626.0	KDS-EMV-SAB 10/24	4044211219659	500 ST