

# **HKP**

## 1/4" x 1 1/4" Panel-mount fuse holders





#### **Product features**

- For 1/4" x 1 1/4" (6.3 mm x 32 mm) fuses
- Maximum panel thickness 5/16" (7.9 mm) thick
- Bayonet-type knob
- Vibration resistant
- Military version is designated FHN26G1
- Standard plastic nut
- Optional metal nut
- Cap 9435-1/2
- Neoprene washer 9732

#### **Agency information**

- UL Recognized: IZLT2, E14853
- CSA Component Acceptance: Class 6225-01, File 47235
- CE (HKP, HKP-L, HKP-W, HKP-OO)

#### **Environmental data**

- Temperature rating (RTI): The mounting body for all devices has a temperature rating of 150 °C. The knob for these devices are molded plastic with a temperature rating of 150 °C.
- Meets UL 94HB
- Terminal Strength: 5 pounds
- Torque: Mounting 20 inch-pound
- Salt Spray (corrosion): Test condition B

#### **Ordering information**

- Specify packaging, product, and option code
- Optional metal nut, order separately part number BK/1A4806-2 (100 parts minimum)

	Specifications		
Product	Feature	Voltage	Current
Code		Rating	Rating
HKP	Standard	250 V	30 A
HKP-BBHH	¼" Quick-Connects, nut and washer assembled	250 V	15 A
HKP-HH	1/4" Quick-Connects	250 V	15 A
HKP-L	2250 stand-off barrier	250 V	30 A
HKP-LW-HH	Drip-proof knob, 2250V stand-off barrier and ¼" quick connects <sup>1</sup>	250 V	15 A
HKP-OO	Snap-lock Snap-lock	250 V	30 A
HKP-W	Drip-proof knob <sup>1</sup>	250 V	30 A


1. IP53 rating for exposed locations



#### Dimensions - in (mm)

Drawing Not to Scale


#### HKP-BBHH, HKP-HH, HKP-LW-HH






## 

#### **Punched Mounting Hole**



Component	Material
Terminal	Tin-Plated Brass
Body	Thermoset
Cap	Thermoset
Nut	Thermoplastic



Packaging			
Packaging Code Prefix	Description		
Blank	10 fuseholders packed into a carton		
BK	100 fuseholder components packed separately into a carton		

### Option Code

Option Code Suffix	Description
-R	RoHS compliant version

Life Support Policy: Eaton does not authorize the use of any of its products for use in life support devices or systems without the express written approval of an officer of the Company. Life support systems are devices which support or sustain life, and whose failure to perform, when properly used in accordance with instructions for use provided in the labeling, can be reasonably expected to result in significant injury to the user.

Eaton reserves the right, without notice, to change design or construction of any products and to discontinue or limit distribution of any products. Eaton also reserves the right to change or update, without notice, any technical information contained in this bulletin.

#### Eaton

Electronics Division 1000 Eaton Boulevard Cleveland, OH 44122 United States

www.eaton.com/electronics

© 2017 Eaton All Rights Reserved Printed in USA Publication No. 2106 BU-SB07473 June 2017



## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

#### Eaton:

HKP-1K0962 BK/HKP-OO-R BK/HKP-HH-R BK/HKP-R BK/HKP-E-R BK/HKP-W-R BK/HKP-CC-R BK/HKP-L-R HKP-H-R BK/HKP HKP-BB-R BK/HKP-OO BK/HKP-BB BK/HKP-HH BK/HKP-L BK/HKP-H BK/HKP-E BK/HKP-W-HKP-1K0406 HKP-1K04020 HKP-1K0455 HKP-1K0463 HKP-1K0776 HKP-1K0952 HKP-1K0957 HKP-1K0960 HKP-1K0965 HKP-BBHH HKP-BBHH-R HKP-CC-R HKP-E-HH HKP-EHJW-ZZ HKP-EL HKP-ELN-BB HKP-EL-ZZ HKP-EW HKP-HH-R HKP-HJRW-AABBZZ HKP-HR-R HKP-J HKP-J HKP-JJ HKP-L-BB HKP-L-HH HKP-L-R HKP-LW-HH HKP-OO HKP-OO-R HKP-R HKP-W-HH HKP-W-R BK-HKP-BBHH-R BK-HKP-1K0408 BK-HKP-1K0420 BK-HKP-1K0467 BK-HKP-BBHH BK-HKP-CC-HH BK-HKP-E-CC BK-HKP-E-HH BK-HKP-E-HH BK-HKP-L-HH BK-HKP-L-HH BK-HKP-L-HH BK-HKP-L-HH BK-HKP-L-HH BK-HKP-L-HH BK-HKP-L-HH BK-HKP-L-HH BK-HKP-W-HH BK-HKP-L-HH BK-HKP-W-HH BK-HKP-L-HH BK-HKP-W-HH BK-HKP-CC-HH BK-HKP-L-HH BK-HKP-W-HH BK-HKP-CC-HH BK-HKP-L-HH BK-HKP-BBHH-R BK-HKP-W-HH BK-HKP-CC-HH BK-HKP-L-HH BK-HKP-E-CC BK-HKP-L-HH BK-HKP-BBHH-R BK-HKP-W-HH BK-HKP-CC-HH BK-HKP-L-HH BK-HKP-BBHH-R BK-HKP-W-HH BK-HKP-CC-HH BK-HKP-L-HH BK-HKP-BBHH-R BK-HKP-W-HH BK-HKP-CC-HH BK-HKP-BBHH-R BK-HKP-W-HH BK-HKP-BBHH-R BK-HKP-W-HH BK-HKP-L-HH BK-HKP-N-HH BK-HKP-W-BBHH BK-HKP-W-HH